

~~SECRET~~ CONFIDENTIAL

21 August 1950

MEMORANDUM FOR: ADEO and ADPC

VIA: Joint Training Committee

SUBJECT: Requirements for Additional Operating Personnel for [REDACTED]

25X1A

1. Members of the Special Support Staff have recently visited Training [REDACTED] and completed a study of personnel requirements for conduct of the Physical Phase of Area Training at that installation. In the course of their examination of the training facilities and conferences with [REDACTED] an additional requirement for operating personnel was determined.

25X1A

2. The following positions are required properly to supplement the staff and provide adequate operating personnel. These positions are in addition to those already requested by TRD. Necessity for these additional positions has become apparent in the process of rehabilitation of the facilities and beginning preparation of instructional materials.

- a. 1 Clerk-Stenographer GS-4
- b. 1 Engineer-operator Upgraded 15
- c. 5 Firemen Upgraded 7

3. It is requested that the T/O of TRD be extended to provide the above additional positions. Attached are two copies of the revised ATE/TRD T/O to replace the ones sent you on 4 August 1950.

25X1A9a

Enclosures (2)
ATE/TRD T/O

[REDACTED]
Acting Chief, TRD

Document No. 011
NO CHANGE in Class. ☐
☐ DECLASSIFIED

Class. CHANGED TO: TS S (C) 562

CONFIDENTIAL

Auth: DDA Memo, 4 Apr 77
DDA REG. 77/1763

Date: 12/01/77 By: 010

1 page

MISSING PAGE

ORIGINAL DOCUMENT MISSING PAGE(S):

NO att.